

	I	L	Rise- Time	Temp. Rise @	DCR @	Wound Dimensions			Tot. Wt.
	(Amp)	Nom.	@120V	25°C	20°C	OD	ID	HT	
P/N	(rms)	(mH)	(µSec)	(°C)	(ohm)	in	in	in	(LB.)
1618 -118116	5	1.380	143	66	0.149	1.7	0.75	0.75	0.290
1823 -118116	5	2.229	253	68	0.183	1.97	0.75	0.89	0.486
2018 -118158	5	2.318	230	71	0.207	2.13	1.05	0.73	0.423
2023 -118158	5	3.000	298	73	0.234	2.13	1.05	0.9	0.521
2032 -118158	5	4.214	418	75	0.282	2.13	1.05	1.18	0.695
2218 -118179	5	2.980	294	73	0.241	2.38	1.2	0.73	0.520
2223 -118179	5	3.847	379	75	0.272	2.38	1.2	0.89	0.639
2232 -118179	5	5.419	535	78	0.327	2.38	1.2	1.18	0.857
1618 -117102	5	1.067	124	51	0.107	1.71	0.73	0.77	0.306
1823 -117102	5	1.724	219	55	0.130	1.98	0.73	0.91	0.505
1636 -117102	5	2.135	248	56	0.156	1.71	0.73	1.34	0.540
2018 -117140	5	1.820	201	55	0.148	2.14	1.03	0.75	0.445
2023 -117140	5	2.356	260	57	0.168	2.14	1.03	0.91	0.546
2032 -117140	5	3.309	365	60	0.202	2.14	1.03	1.2	0.725
2218 -117159	5	2.351	257	57	0.174	2.39	1.18	0.75	0.546
2223 -117159	5	3.035	332	60	0.195	2.39	1.18	0.91	0.669
2232 -117159	5	4.275	468	62	0.234	2.39	1.18	1.2	0.891